

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION N	O.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/699,009	10/699,009 10/30/2003		Tyson James Mackjust	DEI 004 UTL	1426	
35070	7590	08/10/2006		EXAMINER		
	LY S. WE		TRIEU, VAN THANH			
SUITE 30	GH BLUFF 00	DRIVE	ART UNIT	PAPER NUMBER		
SAN DIE	GO, CA 9	2130	2612			
				DATE MAILED: 08/10/2006	DATE MAILED: 08/10/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)					
	10/699,009	MACKJUST ET AL.					
Office Action Summary	Examiner	Art Unit					
	Van T Trieu	2612					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1) Responsive to communication(s) filed on 13 Ju	Responsive to communication(s) filed on 13 June 2006.						
2a) This action is FINAL . 2b) ⊠ This	action is non-final.						
	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4) Claim(s) 1-67 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1-67 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement.							
Application Papers							
9) The specification is objected to by the Examiner.							
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
Attachment(s)							
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)							
Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:	te atent Application (PTO-152)					

Application/Control Number: 10/699,009 Page 2

Art Unit: 2612

DETAILED ACTION

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.
- 1. Claims 1-14, 19, 23, 25, 26, 28-35, 40, 42, 44-53, 55 and 57-66 are rejected under 35 U.S.C. 102(e) as being anticipated by **Goldenberg et al** [US 6,636,197] Regarding claim 1, the claimed remote control for enabling a user to remotely control a security system, the security system having a base unit with a communication module, the remote control transmitter comprising a processor (the controlled device 12 can be a wireless link remote control for any device including a local microprocessor 202 to controls various functions for the security or alarm system for the automobile having a host microprocessor 224 as a base model, see Figs. 1 and 3, col. 3, lines 66-67, col. 4, lines 1-37, col. 5, lines 6-28, col. 10, lines 54-65, col. 11, lines 25-53 and col. 21, lines 15-19); and the display coupled to the processor to display information to the user under control of the processor (the display 14 coupled to the programmable microprocessor 202, see Fig. 3, col. 4, lines 47-66); and the first input device coupled to the processor to allow the processor to read state of the first input device, the state of the first input device being selected by the user and the second input device coupled to the processor

to allow the processor to read state of the second input device, the state of the second input device being selected by the user (the knob 26 can allow the user to select additional settings or functions of the control device 12, or additional control options provided by the knob 26 allow the number of other buttons and other controls to the local microprocessor 202, see Figs. 1 and 3, col. 5, lines 47-67, col. 6, lines 1-55 and col. 10, lines 40-53); and the transmitter coupled to the processor, the transmitter being capable of sending remote commands to the communication module of the base unit under control of the processor (the remote control device 12 with local microprocessor 202 is wirelessly communicating with a host/base microprocessor 224 that can be provided in a separate control subsystem in a vehicle or house. The host/base microprocessor 224 can implement a host/base application program with which a user interacts using knob 26 and/or other controls and peripherals, see Fig. 3, col. 10, lines 54-65 and col. 11, lines 2-53); and the memory module coupled to the processor, the memory module storing code executed by the processor (the memory 206, see Fig. 3, col. 9, lines 30-35); and wherein the processor under control of the code displays to the user various menu items on the display, enables the user to scroll among the menu items to pointed to one of the menu items using the first input device, and enable the user to select the menu item that is pointed to by using the second input device (the control of the local microprocessor 202 allows a user to scroll/rotate the programmable control knob 26 for selecting a desired settings or functions list 24, menu or sub-menu category through a moveable cursor 34 or other visual indicator on display 14, see Figs. 1 and 3, col. 4, lines 47-61, col. 5, lines 47-67 and col. 6, lines 1-14).

Regarding claim 2, all the claimed subject matters are cited in respect to claim 1 above (the wireless link, see Fig. 3, col. 4, line 37 and col. 10, lines 54-65).

Regarding claim 3, the claimed first input device comprises a scroll wheel with an internal push-to-activate switch operable by depressing the scroll wheel in a radial direction of the scroll wheel toward center of the scroll wheel and releasing the scroll wheel; the user selects the state of the first input device by rotating the scroll wheel; the second input device comprises the internal push-to activate switch of the scroll wheel and the user selects the state of the second user device by depressing and releasing the scroll wheel (control panel 12 including a scroll control knob/wheel 26 for a user/driver to rotate the wheel 26 toward a direction of any vehicle operation functions, parameters, engine status or electronic accessories to be selected, see Figs. 1 and 3, abstract, col. 2, lines 27-44, col. 4, lines 1-67, col. 5, lines 1-67, col. 6, lines 1-55, col. 8, lines 57-58 and col. 12, lines 17-19).

Regarding claim 4, all the claimed subject matters are cited in respect to claim 3 above.

Regarding claim 5, the claimed menu item occupies no less than substantially half of the display area capable of displaying menu items (the list/menu, see Fig. 1).

Regarding claim 6, the claimed remote control transmitter provides feedback to the user when the user scrolls among the menu (the resistive force or haptic/force feedback scroll control knob 26, see Figs. 1, col. 2, lines 26-44, col. 3, lines 4-29 and col. 5, lines 6-46).

Regarding claim 7, the claimed scroll wheel clicks when it is rotated, providing tactile and audio feedback (the rotating knob 26 provides resistive force feedback, jog-shuttle, the pops and/or the click, see col. 1, lines 47-51, col. 5, lines 6-46, col. 6, lines 56-67, col. 22, lines 7-16 and col. 24, lines 27-55).

Regarding claim 8, all the claimed subject matters are cited to claim 7 above, see Fig. 1.

Regarding claim 9, all the claimed subject matters are cited in respect to claim 8 above, see Fig. 1.

Regarding claim 10, all the claimed subject matters are cited in respect to claims 2 and 7 above, see col. 4, lines 36-38, col. 10, lines 54-65).

Regarding claim 11, all the claimed subject matters are cited in respect to claim 10 above, and including a plurality of tasks (the plurality of functions, sub-menu and modes, see col. 5, lines 47-67 and col. 6, lines 1-55).

Regarding claim 12, all the claimed subject matters are cited in respect to claim 11 above.

Regarding claim 13, all the claimed subject matters are cited in respect to claims 3 and 11 above, and the claimed menu items comprise a screen inversion menu item, the plurality of tasks comprises a screen inversion task, the screen inversion menu item corresponds to the screen inversion task; and the code executed by the processor causes the processor to perform the screen inversion task and invert the display when the screen inversion menu item is selected (the display 14, see Fig. 1, col. 4, lines 47-67, col. 5, lines 1-67 and col. 6, lines 32-44).

Regarding claim 14, the claimed security system is a security system installed in a vehicle (vehicle security system, see col. 4, lines 12-13).

Regarding claim 19, the claimed outer housing for containing the processor, the display, the first and second input devices, the transmitter, and the memory module, the outer housing comprising a top surface, a bottom surface, and sidewalls; wherein: the display is disposed on the top surface of the outer housing; and the scroll wheel is disposed on one of the top surface of the outer housing and protrudes from the top surface of the outer housing, see Fig. 1.

Regarding claim 23, all the claimed subject matters are cited claims 3 and 13 above, and including the programming functions (the application program 312, see Figs. 3 and 6, col. 11, lines 1-53 and col. 20, lines 9-55).

Regarding claim 25, all the claimed subject matters are cited in respect to claims 1 and 2 above, and including the receiver (the transmitter/receiver, see Fig. 3, col. 4, line 37 and col. 10, lines 54-65).

Regarding claim 26, all the claimed subject matters are cited in respect to claims 1, 3 and 14 above.

Regarding claim 28, all the claimed subject matters cited in respect to claim 26 above, and including the alarm data messages, see col. 4, lines 12-13.

Regarding claim 29, all the claimed subject matters are cited in respect to claims 1 and 15 above, and including the input data port capable of receiving the code executed by the processor (the other input 220 receiving by the microprocessor 202 and memory 206, see Fig. 3, col. 10, lines 40-47).

Regarding claim 30, all the claimed subject matters are cited in respect to claim 29 above, see Figs. 1 and 3, col. 4, lines 47-65 and col. 5, lines 1-67.

Regarding claim 31, all the claimed subject matters are cited in respect to claims 1 and 15 above.

Regarding claim 32, all the claimed subject matters are cited in respect to claims 2 and 31 above.

Regarding claim 33, all the claimed subject matters are cited in respect to claims 3 and 32 above.

Regarding claim 34, all the claimed subject matters are cited in respect to claims 4 and 33 above.

Regarding claim 35, all the claimed subject matters are cited in respect to claims 13 and 33 above.

Regarding claim 40, all the claimed subject matters are cited in respect to claims 19 and 33 above.

Regarding claim 42, all the claimed subject matters are cited in respect to claims 23 and 33 above.

Regarding claim 44, all the claimed subject matters are cited in respect to claims 28 and

Page 9

33 above.

Regarding claim 45, all the claimed subject matters are cited in respect to claims 1 and

15 above.

Regarding claim 46, all the claimed subject matters are cited in respect to claims 3 and

45 above.

Regarding claim 47, all the claimed subject matters are cited in respect to claims 4 and

46 above.

Regarding claim 48, all the claimed subject matters are cited in respect to claims 5 and

47 above.

Regarding claim 49, all the claimed subject matters are cited in respect to claims 6 and

46 above.

Regarding claim 50, all the claimed subject matters are cited in respect to claims 7 and

46 above.

Regarding claim 51, all the claimed subject matters are cited in respect to claims 8 and 46 above.

Regarding claim 52, all the claimed subject matters are cited in respect to claims 13 and 46 above.

Regarding claim 53, all the claimed subject matters are cited in respect to claims 19 and 47 above, and including the claimed outer shell means being for enabling the user to hold and operate the remote control with one hand, which reads upon the control device 12 is configured as a personal digital assistant PDA, cellular phone or any handheld remote control device by user's digit (finger, thumb, etc.), such as the TV and/or VCR remote control devices, see col. 4, lines 21-28 and col. 10, lines 47-53.

Regarding claim 55, all the claimed subject matters are cited in respect to claims 23 and 52 above.

Regarding claim 57, all the claimed subject matters are cited in respect to claims 25 and 46 above.

Regarding claim 58, all the claimed subject matters are cited in respect to claims 28 and 57 above.

Regarding claim 59, all the claimed subject matters are cited in respect to claims 28 and 58 above.

Regarding claim 60, the method claimed limitations are met by the apparatus claim cited in respect to claims 1, 3 and 53 above, and including the claimed rotating a scroll wheel with an internal push-to-activate switch with the thumb of the hand to cause the remote controller to display menu items (the scroll wheel switch 26 allows user's finger or thumb to activate to display the list/menu on the display 14, see Fig. 1, col. 4, lines 47-65, col. 5, lines 1-67, col. 6, lines 1-44 and col. 8, lines 51-58, col. 12, lines 15-19).

Regarding claim 61, all the claimed subject matters are cited in respect to claims 4 and 60 above.

Regarding claim 62, all the claimed subject matters are cited in respect to claims 1, 2, 13 and 53 above.

Regarding claim 63, all the claimed subject matters are cited in respect to claims 53 and 62 above, and including the electrical power to the wireless communication module (the power supply 212, see Fig. 3.

Regarding claim 64, all the claimed subject matters are cited in respect to claims 1, 15 and 29 above.

Regarding claim 65, all the claimed subject matters are cited in respect to claims 1, 15, and 29 above.

Regarding claim 66, all the claimed subject matters are cited in respect to claims 62 above, and including the PDA (see col. 4, line 26).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

2. Claim 22 is rejected under 35 U.S.C. 103(a) as being unpatentable over **Goldenberg et al** [US 6,636,197]

Regarding claim 22, **Goldenberg et al** fails to disclose the display driver interposed between the processor and the display. However, **Goldenberg et al** teaches that the microprocessor 202 is connected to a display 14 for displaying of text/image and/or map, etc. generated from the microprocessor 202, see Figs. 1 and 3, col. 4, lines 47-67 and col. 5, lines 1-67. Therefore, it would have been obvious to one skill in the art at the time the invention was made to recognize that the display includes a display driver for driving to display of alphanumeric, and wherein the display driver is obviously interposed or connected between the processor and the display for receiving command display signals from the processor to be displayed on the display.

3. Claims 15-18, 20, 21, 36-39, 41 and 54 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Goldenberg et al** and in view of **Will** [US 5,825,353].

Regarding claim 15, the claimed outer housing for containing the processor, the display, the first and second input devices, the transmitter, and the memory module, the outer housing comprising a top surface, a bottom surface, and sidewalls; wherein: the display is disposed on the top surface of the outer housing (see Fig. 1); but **Goldenberg et al** fails to disclose the scroll wheel is disposed on one of the sidewalls of the outer housing and protrudes from the one of the sidewalls. However, **Goldenberg et al** teaches that the remote control device 12 such as a PDA or cellular telephone includes a scroll wheel 26 is disposed on the top surface of the outer housing device 12, see Fig. 1. **Will** suggests that a handheld miniature PDA 1 includes a thumb wheel 15 positioned in the right side of the PDA 1, see Figs. 1-1, col. 2, line 40-67 and col. 6, lines 30-39.

Therefore, an artisan would implement the side scroll wheel of **Beckert et al** for the top surface scroll wheel of **Goldenberg et al** as a design choice to provide the scroll wheel for easily for a user to manipulate or use of the scroll wheel of the PDA on one hand, while having the other hand to be free to use on something else.

Regarding claim 16, **Goldenberg et al** fails to disclose the top surface of the outer housing has a longer dimension and a shorter dimension substantially perpendicular to each other, the longer dimension being less than about 6 inches, the shorter dimension being less than about 4 inches. However, according to the combination between **Goldenberg et al** and **Will** in respect to claim 15 above, wherein the control device 12 has an outer surface with touch sensitive surface display 14 and a control knob 26 can be implemented as a variety of different objects and shapes, see Fig. 1, col. 5, lines 2-28. Therefore, an artisan would recognize that it is a design choice to make dimensions of the device surface such as less than 6 inches and less than about 4 inches or less than 1.5 inches, whichever to provide convenience and easily holding and operating of the electronic device.

Regarding claim 17, all the claimed subject matters are discussed between **Goldenberg et al** and **Will** in respect to claim 16 above.

Regarding claim 18, the claimed pressure needed to activate the internal is between about 0.15 and 0.75 ounces, which reads upon the force/haptic feedback scroll control

Application/Control Number: 10/699,009

Art Unit: 2612

knob operated by the force sensation, other force effects and resistive forces are applied, see col. 12, lines 14-67, cols. 13-16 and col. 17, lines 1-57.

Regarding claim 20, all the claimed subject matters are discussed between **Goldenberg et al** and **Will** in respect to claims 17 and 19 above.

Regarding claim 21, all the claimed subject matters are discussed between Goldenberg et al and Will in respect to claims 18 and 20 above.

Regarding claim 36, all the claimed subject matters are discussed between **Goldenberg et al** and **Will** in respect to claims 15 and 33 above.

Regarding claim 37, all the claimed subject matters are discussed between **Goldenberg et al** and **Will** in respect to claims 16 and 36 above.

Regarding claim 38, all the claimed subject matters are discussed between **Goldenberg et al** and **Will** in respect to claims 17 and 37 above.

Regarding claim 39, all the claimed subject matters are discussed between **Goldenberg et al** and **Will** in respect to claims 18 and 38 above.

Regarding claim 41, all the claimed subject matters are discussed between Goldenberg et al and Will in respect to claims 20 and 40 above.

Regarding claim 54, all the claimed subject matters are discussed between **Goldenberg et al** and **Will** in respect to claims 18 and 53 above.

4. Claims 24, 27, 43, 56 and 67 are rejected under 35 U.S.C. 103(a) as being unpatentable over Goldenberg et al and in view of Issa et al [US 5,783,989]. Regarding claim 24, Goldenberg et al fails to disclose the function programming task is selected from the list consisting of passive arming, active arming, enabling confirming chirps for arm and disarm state changes, disabling confirming chirps for arm and disarm state changes, turning on ignition locking of doors, and turning off ignition locking of doors. However, Goldenberg et al teaches that the control device 12 is a controller for various automobile systems including security and alarm system for the automobile, see col. 4, lines 1-13. **Issa et al** suggests that the vehicle security system for a vehicle includes a controller 35 for programming and learning a unique code of a remote transmitter 25 to define a learned remote transmitter 25 capable of causing performance of a function associated with the vehicle including vehicle security system. The vehicle learned functions includes arming, disarming, ignition on/off function, door lock and unlock statuses and chirp and flash notifications, see Figs. 1, 2, 6C, 7C, 11 and 12, col. 5, lines 3-60, col. 6, lines 15-30, col. 8, lines 8-67, col. 9, lines 1-54, col. 15, lines 15-51,

col. 18, lines 51-67 and col. 19, lines 1-22. Therefore, it would have been obvious to one skill in the art at the time the invention was made to programmed the processor of Goldenberg et al with vehicle security functions such as of Issa et al for providing vehicle security and personal convenience as well. Today RF remote controlled vehicle security provides remote door locking/unlocking, remote trunk release, remote window roll up/down, remote ignition starting are available to in the market.

Regarding claim 27, Goldenberg et al fails to disclose the information in the message contains diagnostic data. However, Goldenberg et al teaches that the control device 12 is a controller for various automobile systems including security and alarm system for the automobile, see col. 4, lines 1-13. Issa et al suggests that vehicle security system for a vehicle includes a controller 35 for programming and learning a unique code of a remote transmitter 25 to define a learned remote transmitter 25 capable of causing performance of a function associated with the vehicle including vehicle security system and self-diagnostic mode to help maintain the maximum security possible, see Figs. 1, 2A and 8A, col. 2, lines 36-60, col. 8, lines 8-42, col. 10, lines 38-57, col. 16, lines 58-67 and col. 17, lines 1-40. Therefore, it would have been obvious to one skill in the art at the time the invention was made to implement the self-diagnostic mode of Issa et al to the processor of Goldenberg et al for assuring of the vehicle security operation functions and to prevent of falls alarm.

Regarding claim 43, all the claimed subject matters are discussed between and **Goldenberg et al** and **Issa et al** in respect to claims 24 and 42 above.

Regarding claim 56, all the claimed subject matters are discussed between **Goldenberg et al** and **Flick** in respect to claims 24 and 46 above.

Regarding claim 67, Goldenberg et al fails to disclose the security and entertainment system comprises at least a shock sensor, a field disturbance sensor or a glass break sensor. However, Goldenberg et al teaches that the control device 12 is a controller for various automobile systems including security and alarm system for the automobile. see col. 4, lines 1-13. Issa et al suggests that vehicle security system for a vehicle includes a controller 35 for programming and learning a unique code of a remote transmitter 25 to define a learned remote transmitter 25 capable of causing performance of a function associated with the vehicle including vehicle security system including a plurality of sensors 12 such as shock sensor for detecting of intruder, see Figs. 1, 2A and 8A, col. 2, lines 36-60, col. 8, lines 8-42, col. 10, lines 38-57, col. 16, lines 58-67, col. 17, lines 1-40 and col. 22, lines 8-30. Therefore, it would have been obvious to one skill in the art at the time the invention was made to substitute the shock security sensors of Issa et al to the vehicle security system of Goldenberg et al for detecting of intrusions or theft of the vehicle, since those sensors are well known in the vehicle security system.

Response to Arguments

5. Applicant's arguments filed on 13 June 2006 have been fully considered but they are not persuasive. Because,

Applicant's arguments:

(A) Goldenberg et al apparently does not disclose or suggest that the knob 26 may be rotated by the thumb of the same hand that is holding the controller. Even if Goldenberg's controller that includes the knob 26 could be made to fit in one hand, it does not follow that the knob would necessarily be operable by the thumb of the hand holding the controller.

Response to the arguments:

(A) **Goldenberg** teaches that the knob 26 can be a scroll wheel, steering wheel or rotary scroll wheel, see col. 8, lines 18, col. 12, lines 18-19 and col. 25, lines 59. The scroll wheel 26 is manipulated by a user's digit finger or thump of a user's hand, wherein the knob/scrolling wheel often easier for a user interface with device, see col. 50-53, col. 5, lines 6-23 and col. 10, lines 51-52.

Conclusion

6. Examiner is very regrettably to withdraw the final rejection filed on 17 January 2006, due to the Appeal Brief arguments filed on 13 June 2006. After a very careful reviewing of the rejected references, examiner determines that the **Goldenberg et al** reference has the claimed limitations as the electronic control device 12 can be in the

Application/Control Number: 10/699,009 Page 20

Art Unit: 2612

form of a PDA, cellular telephone, or a remote controller for use in house's appliances, security and alarm system for the vehicle. The remote control device includes a plurality of inputs data/information selected by a user through a knob 26, which can be a scroll wheel 26, and the selected data/information from a list/menu displayed on a display 14 as scrolling and selecting. The remote control device 12 is in two-way communications with it host/base microprocessor 224 for carrying out the performances, tasks or programming, such as remotely control to open/close the garage, to activate/deactivate of the security alarm, TV, or others. Therefore, a new Office Action is provided herewith to make the rejection smoother.

7. Any inquiry concerning this communication or earlier communications from examiner should be directed to primary examiner **Van Trieu** whose telephone number is (571) 272-2972. The examiner can normally be reached on Mon-Fri from 7:00 AM to 3:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, **Mr. Mike Horabik** can be reached on (571) 272-3068.

Van Trieu

Primary Examiner

Date: 8/7/06